

Bio-data

1. **Name:** Amal Kumar Das

2. **Personal Data:**

Nationality: Indian
Date of birth: 11.06.1969
Sex: male
Marital status: married

3. **Address for Correspondence:**

Associate Professor
Department of Physics
Indian Institute of Technology
Kharagpur, West Bengal, INDIA
Pin - 721302
Phone: +91-03222-283824/283825
FAX: +91-03222-282700
Mobile: +91-9474508683
Email : amal@phy.iitkgp.ernet.in

4. **Academic Qualifications:**

- [6] 2002 Ph. D, Physics (awarded in July)
Institute of Physics (Utkal University), Bhubaneswar, India.
- [5] 1995 Post M. Sc Course in Advanced Physics
Institute of Physics, Bhubaneswar, India.
(Equivalent to M. Phil., Utkal University)
- [4] 1994 M. Sc., Physics (**First Class**)
University of Calcutta, Kolkata, India.
- [3] 1991 B. Sc., Physics (**First Class**)
University of Calcutta, Kolkata, India.
- [2] 1987 Higher Secondary (H. S) (**First Div.**)
Vidyasagar College, Kolkata, India.
- [1] 1985 School Final (M. P) (**First Div.**)
Banshihari High School, Dakshin Dinajpur, West Bengal, India.

5. **Employment History (Research and Teaching Experience):**

- [6] 8 years (2011 - present) – Associate Professor, Department of Physics, IIT Kharagpur, India.
- [5] 1 year (2013) – Guest Scientist, Johannes Kepler University (JKU), Linz, Austria.
- [4] 6 years (2005 – 2011) - Assistant Professor, Department of Physics, IIT Kharagpur, India.
- [3] 2 months (2006) –Guest Scientist, Max-Planck Institute, Halle, Germany.
- [2] 1 year (2004 – 2005) - Visiting Faculty, Department of Physics, IIT Kharagpur, India.

[1] 2 years (2002 – 2004) - Guest Scientist, Paul-Drude Institute (PDI), Berlin, Germany.

6. **Award:** “Young Physicists Award” received from ‘The Indian Physical Society’ in 2000.

7. **Field of Specialization :** Experimental Condensed Matter Physics/Material Science;
Magnetism and spintronics;

8. **Teaching Experiences:**

At the undergraduate level: (B. Tech, 5 year integrated M. Sc & 2 year M. Sc students)

PHYSICS I: Oscillation, Wave & Quantum Physics
(1st year B. Tech students); **No. of students in class: 150 -200**

PHYSICS II: Quantum Mechanics & Solid State Physics
(2nd yr B. Tech students); **No. of students in class: 200 - 225**

Atomic and Molecular Spectroscopy
(Integrated 5 years M. Sc and post-B. Sc 2 years M. Sc students) **No. of students in class: 70 - 80**

At the postgraduate level: (M. Tech & Ph. D students)

Physics of Semiconductor Devices; Solid State Devices; Physics of Materials; Analytic Techniques;
Thin Film Technology; Spintronic and magnetoelectronic materials and devices;
No. of students in class: 20 – 30.

The subjects were taught during the period of 2004 to present and each subject was taught multiple times.

The online feedback of students are taken by the Institute in the scale of 1 – 5 (1 = poor, 2 = average, 3 = good, 4 = very good, 5 = excellent). I am recognized as a good teacher with score of 3.56 (average of last ten years).

NPTEL VIDEO COURSE (Initiative of MHRD, Government of India):
(NPTEL: National Programme for Technology Enhanced Learning)

Solid State Physics in 2017, 2018, 2019; No. of Students registered: 2000 – 2500

Atomic and Molecular Physics in 2018; No. of Students registered: 1800

Experimental Physics in 2018, 2019; No. of Students registered: 2500 – 3000

Based on the students’ feedback, solid state physics and experimental physics are selected to continue the rerun in alternative semester till 2021.

9. Publications:

I. Publication in refereed Journals: Total number: 83 (Eighty five)
(The list of all publications with details is given in separate section)

Name of Journals	Impact Factor	Number of publications
I. Physical Review Letters	9.227	FIVE
II Applied Surface Science	5.155	TWO
III. Journal of Physical Chemistry C	4.484	ONE
IV. Physical Review B	3.836	SEVEN
V. Journal of Alloys and Compounds	3.779	TWO
VI. Applied Physics Letters	3.521	TEN
VII. Nanotechnology	3.399	TWO
VIII. Journal of Magnetism and Magnetic Materials	3.046	SEVEN
IX. Journal of Physics D: Applied Physics	2.829	ONE
X. Journal of Physics: Condensed Matter	2.711	TWO
XI. Journal of Applied Physics	2.328	EIGHT
XII. EuroPhysics Letters	1.957	ONE
XIII. Physica B: Condensed Matter	1.874	FIVE
XIV. Review of Scientific Instruments	1.587	TWO
XV. Other Journals	IF < 1.6	The Rest

As per google scholar on 25/07/2019, the overall citation and h-index of 79 publications is copied and pasted below. (* 4 papers are in print)

Publications:	All	Since 2014
Citations	1740	823
h-index	22	13
i10-index	30	15

The TEN recent publications are given below:

[1] Size-dependent structural and magnetic properties of disordered Co₂FeAl Heusler alloy nanoparticles, Aquil Ahmad, Srimanta Mitra, Sanjeev Kumar Srivastava and **Amal Kumar Das**, **Journal of Magnetism and Magnetic Materials** 474, (2019) 599.

Impact factor: 3.046

[2] Effect of L21 and XA ordering on phase stability, half-metallicity and magnetism of Co₂FeAl Heusler Alloy: GGA and GGA+U approach, Aquil Ahmed, Sanjeev Kumar Srivastava and **Amal Kumar Das**, **Journal of Magnetism and Magnetic Materials**, Accepted on 23rd July, 2019 (in press)

Impact factor: 3.046

[3] Enhancement and sign inversion of junction magnetoresistance on Mn substitution in magnetite/p-Siheterostructures, Harinath Aireddy and **Amal Kumar Das**, **Journal of Physics D: Applied Physics** 49, (2016) 415003.

Impact Factor : 2.829

[4] Electric field dependence of junction magnetoresistance in magnetite/semiconductor heterostructure at room temperature, Harinath Airedy, Sudipta Bhaumik and **Amal Kumar Das**, **Applied Physics Letter 107**, (2015) **232406**.

Impact Factor : 3.521

[5] Radio Frequency Scanning Tunneling Spectroscopy for Single-Molecule Spin Resonance, Stefan Müllegger, Stefano Tebi, **Amal Kumar Das**, Wolfgang Schöffberger, Felix Faschinger, and Reinhold Koch, **Physical Review Letter 113**, (2014) **133001**.

Impact Factor : 9.227

[6] Radio-frequency excitation of single molecules by scanning tunneling microscopy, Stefan Müllegger, **Amal K Das**, **Karlheinz Mayr and Reinhold Koch**, **Nanotechnology 25**, (2014) **135705**.

Impact Factor : 3.399

[7] Giant junction magnetoresistance effect in ferromagnet/semiconductor heterostructures, Anirban Sarkar, Rajdeep Adhikari, and **Amal Kumar Das**, **Journal of Applied Physics 114**, (2013) **154513**.

Impact Factor : 2.328

[8] Magnetic Schottky diode exploiting spin polarized transport in Co/p-Si heterostructure, A. Sarkar, R. Adhikari and **A. K. Das**, **Applied Physics Letter 100**, (2012) **262402**.

Impact Factor : 3.521

[9] Variation and sign change of magnetostrictive strain as a function of Ni concentration in Ni-substituted ZnFe₂O₄ sintered nanoparticles, Rajdeep Adhikari, Anirban Sarkar, Mukta V. Limaye, S. K. Kulkarni and **Amal Kumar Das**, **Journal of Applied Physics 111**, (2012) **073903**.

Impact Factor : 2.328

[10] A versatile cantilever beam magnetometer for *ex situ* characterization of magnetic materials, Rajdeep Adhikari, Anirban Sarkar, and **Amal Kumar Das**, **Review of Scientific Instruments 83**, (2012) **013930**.

Impact Factor : 1.587

II. Publications in proceedings of Seminars/Conferences

[International]	10
[National]	51

10. **Patents:** 1 - Deutsche Patentanmeldung Nr. 103 11 717.2, March 17, (2003).

11. **Research Guidance:** Ph. D Thesis: **Completed : SEVEN** (single guidance-03 and joint guidance-04);
On-going : SEVEN (single guidance-04 and joint guidance-03).

M. Tech/M. Sc Thesis: **Completed : TWENTY FIVE** (single guidance-25 and joint guidance-00);
On-going : THREE (single guidance-03 and joint guidance-00).

List of the Ph. D students under my guidance

S1 No.	Name of students	Title of thesis	Remarks
*1	Sandip Majumdar	GROWTH AND CHARACTERISTICS OF MANGANESE DOPED GERMANIUM AND COBALT COPPER GRANULAR ALLOY FOR SPINTRONIC DEVICES	Completed in 2009
2.	Rajdeep Adhikari	DEVELOPMENT OF OPTICAL CANTILEVER BEAM MAGNETOMETER AND STUDIES ON OXIDE MAGNETIC MATERIALS FOR SPINTRONIC APPLICATIONS	Completed in 2011
3	Anirban Sarkar	DEVELOPMENT OF CANTILEVER BEAM MAGNETOMETER FOR IN SITU CHARACTERIZATIONS AND STUDIES ON HETEROSTRUCTURE BASED MAGNETIC DIODE	Completed in 2013
*4	K. Devi Chandrasekhar	EXPLORING THE CORRELATION OF STRUCTURAL, MAGNETIC AND MAGNETODIELECTRIC PROPERTIES IN $R_2\text{MnNiO}_6$ and $R_{(1-x)}\text{Ca}_x\text{MnO}_3$ (R = RARE EARTH) PEROVSKITE SYSTEM	Completed in 2013
*5	Sudipta Bhaumik	TIN OXIDE (SnO_2) BASED DILUTE MAGNETIC SEMICONDUCTORS FOR SPINTRONIC APPLICATIONS	Completed in 2015
6	Harinath Aireddy	DEVELOPMENT OF CANTILEVER BEAM MAGNETOMETER FOR ELECTRIC FIELD INDUCED MAGNETIC MEASUREMENTS AND STUDIES ON MAGNETIC AND PIEZOELECTRIC MATERIALS FOR SPINTRONIC APPLICATIONS	Completed in 2017
*7	C. Dhanasekhar	MULTIFERROIC STUDIES ON GEOMETRICALLY FRUSTRATED COLALTITE BASED SWEDENBORGITE SYSTEMS	Completed in 2018
*8	Aquil Ahmed	Nanoparticles of Co-based Heusler alloys	To be submitted by 2019
*9	Arijit Sarkar	Studies on Si Nanostructures and Flexible Si Membranes for Optoelectronic Devices	Submitted
10	Archana Kumari	Oxide materials for spintronic applications	To be submitted by 2019
11	Niladri Sekhar	Topological Insulator for spintronic applications	On-going
12	Sajib Biswas	Ferromagnet/semiconductor heterostructures for spintronic applications using in-situ cantilever beam magnetometer	On-going
13	Suman Guchhait	Ferromagnetic/ferroelectric heterostructures for spintronic applications using optical cantilever beam magnetometer	On-going
*14	Soumen Chowdhuri	Magnetism and superconductivity of Co thin films	On-going

*indicates joint guidance

12. R&D Sponsored Projects: ONLY as a PRINCIPAL INVESTIGATOR (PI)

i) **DST** : Magneto-transport studies on ferromagnet/semiconductor heterojunctions for spintronic applications. Principal Investigator (PI) : Dr. Amal K. Das ; Co-PI : Prof. D. K. Goswami. Budget : 48 lakhs. Time period : 2015 to 2018 (completed).

ii) **CSIR** : Study of magnetoelectric properties of ferromagnetic/ferroelectric heterostructures using cantilever beam technique. Principal Investigator (PI) : Dr. Amal K. Das, Co-PI : Prof. S. K. Ray. Budget : 19.68 lakhs. Time period : 2015 to 2019 (completed).

iii) **CSIR** : *Study of magnetic properties of thin films on semiconductor substrates using “cantilever beam magnetometer”*. Principal Investigator (PI) : Dr. Amal K. Das, Co-PI : Prof. S. K. Ray. Budget : 15.12 lakhs. Time period : 2005 to 2009 (completed).

iv) **ISIRD** : *Study of magnetic properties of thin films on semiconductor substrates using “cantilever beam magnetometer”*. Principal Investigator (PI) : Dr. Amal K. Das, Budget : 03 lakhs. Time period : 2006 to 2009 (completed). [This project is tied up with the CSIR project].

v) **DRDO** : Development of cantilever beam magnetometer for in-situ measurement of mechanical and magnetic properties of thin films for spintronic application. Principal Investigator (PI) : Dr. Amal K. Das ; Co-PI : Prof. S. K. Ray. Budget : 69.92 lakhs. Time period : 2006 to 2009 (Completed)

vi) **BRNS** : Co-ordinated Research Project (CRP)-Spintronics materials - Simulation and Design of Spintronics Materials. This is a multi-Institute project on Spintronics among the following Institutes : IIT Kharagpur, IACS Kolkata, TIFR Bombay, Pune University, NCL Pune, IIT Kanpur.

Investigator from IIT Kharagpur: Dr. Amal K. Das ; Grant sanctioned to IIT Kharagpur Rs. 27.94 lakhs ; Time period : 2006 to 2009 (Completed).

13. Research Activity:

I with my students have developed a unique compact instrument for characterizing the mechanical, magnetic and dielectric properties of materials. The brief highlights are given below:

1. I with my students have developed a research and teaching instrument at IIT Kharagpur first of its kind in India and among very few in the world called “Cantilever Beam Magnetometer (CBM)”. The CBM was used for in-situ characterization of mechanical and magnetic properties of thin films. I have made it versatile to measure the magnetic properties of bulk, ribbon, nanoparticles and thin film of magnetic materials in air and also generalised the theory of bending moment for analysing the experimental data. As a new contribution in CBM, the work is published in specialised journal “Review of Scientific Instruments” where one can publish the new or upgraded Instruments.

[Ref.] A versatile cantilever beam magnetometer for ex situ characterization of magnetic materials, R. Adhikari, A. Sarkar, and A. K. Das, **Review of Scientific Instruments** 83, (2012) 013930.

2. I with my students have developed a simpler version of CBM for teaching laboratory in the IIT Kharagpur and published in a specialised journal “American Journal of Physics” known as “Physics Teacher” where one can publish research matter bringing in a level of college students.

[Ref.] The cantilever beam magnetometer: A simple teaching tool for magnetic characterization, Rajdeep Adhikari, Rakesh Kaundal, Anirban Sarkar, Pushpinder Rana, and **Amal K. Das**, **American Journal of Physics** **80** (3),(2012) 225.

3. Recently the CBM is developed for the first time in the measurement of electric stress (electrostriction and piezoelectricity) including the magnetic stress to study the ferromagnet/ferroelectrics heterostructures for the electric field controlled spintronic devices. This development is again accepted in Review of Scientific Instruments for publication.

[Ref.] The cantilever beam magnetometer for the measurement of electric field controlled magnetic property of ferromagnet/ferroelectrics heterostructures, Harinath Aireddy and **Amal Kumar Das**, **Review of Scientific Instruments**, 2019 (accepted for publication).

I with my students have demonstrated prototype devices for application in spintronics. The brief highlights are given below:

4. The group of mine is working on the electro-magnetic transport properties of ferromagnet/semiconductor heterostructures continuously and steadily to resolve some fundamental issues and demonstrated that the heterostructures can be used as a magnetic diode device in spintronics. The works are published in Applied Physics Letters (APL).

[Ref.] APL **94** (2009) 122505; **98** (2011) 183504; **100** (2012) 262402; **107** (2015) 232406.

5. I was working in a German group and demonstrated the magnetologic gate functionality of ferromagnet/semiconductor heterostructure. The work was published in Physical Review letter. The group (excluding me) generalized the idea and proposed that the GMR element can be used as programmable magnetologic gates and published in NATURE.

[Ref.] Ferromagnetism of MnAs studied by heteroepitaxial films on GaAs(001), **A. K. Das**, C. Pampuch, A. Ney, T. Hesjedal, L. Daeweritz, R. Koch, and K. H. Ploog, **Phys. Rev. Lett.** **91**, (2003) 087203.

[Ref.] Magnetologic with α -MnAs/GaAs(001), C. Pampuch, **A. K. Das**, A. Ney, L. Daeweritz, R.Koch, and K. H. Ploog, **Phys. Rev. Lett.** **91**, (2003) 147203.

[Patent] “Magnetische Logikeinrichtung und Verfahren zu deren Betrieb” (Magnetic logic mechanism and procedure for their applications), C. Pampuch, **A. K. Das**, A. Ney and R. Koch, Deutsche Patent anmeldung Nr. 103 11 717.2, March 17, (2003).

[Ref.] Programmable computing with a single magnetoresistive element, A Ney, C Pampuch, R Koch, KH Ploog, **Nature** **425** (2003) 485.

14. Departmental/Institute Level Activity:

- (a) I have developed a mini-version of cantilever beam magnetometer (CBM) for teaching laboratory of M. Tech in solid state technology at Department of Physics.
- (b) I have set up TWO experiments to (i) determine the “Avodagro Number” using silver Voltameter and (ii) study the vibrational spectra of iodine molecules for teaching laboratory of 3rd year in atomic and molecular spectroscopy.
- (c) I was responsible for looking after the departmental research facility and DST-FIST project since 2011 for eight years (**FIST Laboratory-in-Charge**).

- (d) I am responsible for looking after the Institute central research facility (CRF) laboratory of vibrating sample magnetometer (VSM) since 2016 to the present day **(CRF-VSM Laboratory-in-Charge)**.
- (e) I was responsible for looking after the overall maintenance works of the Department of Physics since 2008 for ten years **(Maintenance-in-Charge)**.
- (f) I was responsible for looking after the teaching laboratory of 3rd year (Optics, electromagnetism and modern physics) since 2006 to 2011 **(3rd year Teaching Laboratory-in-Charge)**.
- (g) I was responsible to conduct UG & PG Examinations in the Department since 2006 to 2008 **(Examination-in-Charge)**.
- (h) I was Faculty Advisor of 5yr integrated M. Sc students since 2009 for 5 years till 2014 and of 2yr M. Sc students since 2012 for 2 years till 2014 **(Faculty Advisor)**.
- (i) I am appointed warden of a students' hostel for the welfare of the student community since July, 2019.

15. List of Publications:

• Publications in refereed journals:

(a) International : 81 and (b) National : 02 (marked with **)

[83] Size-dependent structural and magnetic properties of disordered Co₂FeAl Heusler alloy nanoparticles, Aquil Ahmad, Srimanta Mitra, Sanjeev Kumar Srivastava and **Amal Kumar Das**, **Journal of Magnetism and Magnetic Materials** 474, (2019) 599.

[82] Effect of L21 and XA ordering on phase stability, half-metallicity and magnetism of Co₂FeAl Heusler Alloy: GGA and GGA+U approach, Aquil Ahmed, Sanjeev Kumar Srivastava and **Amal Kumar Das**, **Journal of Magnetism and Magnetic Materials** 491 (2019) 165635.

[81] The cantilever beam magnetometer for the measurement of electric field controlled magnetic property of ferromagnet/ferroelectrics heterostructures, Harinath Aireddy and **Amal Kumar Das**, **Review of Scientific Instruments**, 2019 (accepted for publication).

[80] Electron doping induced magnetic glassy state in phase separated YBaCo₂O_{5.5-δ} A Kumari, C Dhanasekhar, and **A K Das**, **Journal of Magnetism and magnetic** 491 (2019) 165620.

[79] Spin state transitions associated with magnetic phase separation in EuBaCo₂O_{5+δ} (δ= 0.47) cobaltite A Kumari, C Dhanasekhar, A K Das, **Journal of Alloys and Compounds** 802 (2019) 409-414

[78] Anomalous freezing of dielectric polarons near magnetic ordering in multiferroic La_{0.5}Bi_{0.5}FeO₃, S Mallesh, J Krishnamurthy, **A K Das**, A Venimadhav, and D C Kakarla, **Ceramics International** 45 (2019) 6250-6254.

[77] Spin-dependent giant junction magnetoresistance in simple Fe/p-Si (001) Schottky heretrojunction at low temperature, A Sarkar, R Adhikari, A K Das, **Applied Physics A** 125 (2019), 60

- [76] Geometry Controlled White Light Emission and Extraction in CdS/Black-Si Conical Heterojunctions, A Sarkar, A K Katiyar, S Mukherjee, S Singh, S K Singh, **A K Das**, SK Ray, **ACS Applied Electronic Materials** **1** (2018) 25-33.
- [75] Si membrane–ZnO heterojunction-based broad band visible light emitting diode for flexible optoelectronic devices, Arijit Sarkar, Ajit K Katiyar, **Amal K. Das** and Samit K. Ray, **Flex. Print. Electron.** **3**, (2018) **025004**.
- [74] Effect of Sr doping on structural and magnetic behavior of $\text{SmBa}_{1-x}\text{Sr}_x\text{Co}_2\text{O}_{5+\delta}$ ($x = 0$ and 1), Archana Kumari, C. Dhanasekhar, and **A. K. Das**, **Physica B : Condensed Matter** **536**, (2018) 267-271.
- [73] Switching from pyroelectric to ferroelectric order in Ni doped $\text{CaBaCo}_4\text{O}_7$, C. Dhanasekhar, **A. K. Das**, Ripandeep Singh, A. Das, G. Giovannetti, D. Khomskii, A. Venimadhav, **Phys. Rev. B** **96**, (2017) 134413.
- [72] Coexistence of weak ferromagnetism with magnetoelectric coupling in Fe substituted $\text{Co}_4\text{Nb}_2\text{O}_9$, C. Dhanasekhar, S. K. Mishra, R. Rawat, **A. K. Das** and A. Venimadhav, **J. Alloys Compd.** **726**, (2017) 148-153.
- [71] Enhancement and sign inversion of junction magnetoresistance on Mn substitution in magnetite/p-Si heterostructures, Harinath Aireddy and **Amal Kumar Das**, **Journal of Physics D: Applied Physics**, **49** (2016) **415003**.
- [70] Multiple caloric effects in geometrically frustrated “114” $\text{CaBaCo}_4\text{O}_7$ Cobaltite, C. Dhanasekhar, **A. K. Das**, and A. Venimadhav, **Journal of Magnetism and Magnetic Materials**, **418** (2016) 76.
- [69] Electro-magnetic transport and rectifying property of $\text{Fe}_{2.5}\text{Mn}_{0.5}\text{O}_4$ /p-Si heterojunction, H. Aireddy, S. Bhaumik, and **A. K. Das**, **AIP Conf. Proc.** **1728**, (2016) 020107.
- [68] Structural, magnetic and thermal study of Cr doped iron-tungsten-oxygen system (Fe_2WO_6), Archana Kumari, C. DhanaSekhar, and **A. K. Das**, **AIP Conference Proceedings** **1731**, (2016) 140062.
- [67] Electric field dependence of junction magnetoresistance in magnetite/semiconductor heterostructure at room temperature, H. Aireddy, S. Bhaumik, and **A. K. Das**, **Appl. Phys. Lett.** **107** (2015) 232406.
- [66] Radio Frequency Scanning Tunneling Spectroscopy for Single-Molecule Spin Resonance, Stefan Müllegger, Stefano Tebi, **Amal K. Das**, Wolfgang Schöffberger, Felix Faschinger, and Reinhold Koch, **Phys. Rev. Lett.** **113**, (2014) 133001.
- [65] Radio-frequency excitation of single molecules by scanning tunnelling microscopy, Stefan Müllegger, **Amal K Das**, Karlheinz Mayr and Reinhold Koch, **Nanotechnology** **25**, (2014) 135705.
- [64] Magnetic Glassy Behavior of $\text{Pr}_{0.6}\text{Ca}_{0.4}\text{MnO}_3$ Nanoparticles: Effect of Intra and Interparticle Magnetic Interactions on Magnetodielectric Property, K. Devi Chandrasekhar, **A. K. Das**, and A. Venimadhav, **J. Phys. Chem. C** **118**, (2014) 27728.
- [63] Dual functionality of a simple magnetic/semiconductor heterostructure device: Diode and magnetoresistive element, A. Sarkar, R. Adhikari and **A. K. Das**, **IEEE Trans. Magn.** **50**, (2014) 4400108.
- [62] Defect-induced room temperature ferromagnetism in SnO_2 nanowires controlled by UV light irradiation, S. Bhaumik, A. K. Sinha, S. K. Ray and **A. K. Das**, **IEEE Trans. Magn.** **50**, (2014) 2400206.

- [61] Magnetic and transport properties of $\text{Mn}_{0.02}\text{Sn}_{0.98}\text{O}_2$ thin films grown on p-Si varying O_2 pressure, S. Bhaumik, S. K. Ray and **A. K. Das**, *J. Appl. Phys.* **115**, (2014) 123907.
- [60] Role of defects and oxygen vacancies on dielectric and magnetic properties of Pb^{2+} ion doped LaFeO_3 polycrystalline ceramics, K. Devi Chandrasekhar, S. Mallesh, J. Krishna Murthy, **A. K. Das**, and A. Venimadhav, *Physica B* **448**, (2014) 304.
- [59] Investigation of Intrinsic Stress and Transport Properties of Fe/P-Si (001) Schottky Heterojunction, Anirban Sarkar, S. Bhaumik, R. Adhikari, and **A. K. Das**, *International Journal of Advanced Applied Physics Research* **1**, (2014) 40.
- [58] Dielectric and Magnetodielectric Properties of R_2NiMnO_6 ($\text{R} = \text{Nd, Eu, Gd, Dy, and Y}$), Devi Chandrasekhar Kakarla, Krishna Murthy Jyothinagaram, **Amal Kumar Das**, and Venimadhav Adyam, *J. Am. Ceram. Soc.* **97**, (2014) 2858.
- [57] Temperature-dependent structure and magnetism of Mn-doped Ge nanowires, Sandip Majumdar, S. Bhaumik, K. Rana, S. K. Ray and **A. K. Das**, *Phys. Status Solidi A* **211** (4), (2014) 877.
- [56] Optical and magnetic properties of Er-doped SnO_2 nanoparticles, S. Bhaumik, S. K. Ray, and **A. K. Das**, *Phys. Status Solidi A* **210**, (2013) 2146.
- [55] Giant junction magnetoresistance effect in ferromagnet/semiconductor heterostructures, Anirban Sarkar, Rajdeep Adhikari, and **Amal Kumar Das**, *J. Appl. Phys.* **114**, (2013) 154513.
- [54] Magnetic field induced dielectric relaxation in the strain glass state of $\text{Pr}_{0.6}\text{Ca}_{0.4}\text{MnO}_3$, K. Devi Chandrasekhar, **A. K. Das**, and A. Venimadhav, *J. Appl. Phys.* **113**, (2013) 173907.
- **[53]** Development of a High Vacuum Cantilever Beam Magnetometer for Measurement of Mechanical and Magnetic Properties of Thin Films, A. Sarkar, R. Adhikari and **A. K. Das**, *Current Science* **104** (7), (2013) 826.
- [52] Self grown core/shell nanoparticles of cobalt: Correlation of structure, transport and magnetism, A. Sarkar, R. Adhikari, N. Behera and **A. K. Das**, *J. Magn. Magn. Mater.* **339**, (2013) 20.
- [51] High Dielectric Permittivity in $\text{BaFe}_{12}\text{O}_{19}$ /Polyvinylidene fluoride Composites, K. Devi Chandrasekhar, S. Karthikeyan, **A. K. Das**, and A. Venimadhav, *AIP Conf. Proc.* **1512**, (2013) 788; doi: 10.1063/1.4791274.
- [50] Spin Valve Effect in $\text{Mn}_{0.05}\text{Ge}_{0.95}$ /p-Si Structure, S. Bhaumik, S. K. Ray and **A. K. Das**, *Springer Proceedings in Physics* **143**, 2013, DOI: 10.1007/978-3-642-34216-5_42.
- [49] Impedance and Modulus Spectroscopy Analysis of $\text{Mn}_{0.5}\text{Zn}_{0.5}\text{Fe}_2\text{O}_4$ Nanoparticles, H. Airedy, U. Bidayat, and **A. K. Das**, *AIP Conf. Proc.* **1512**, (2013) 328; doi: 10.1063/1.4791044.
- [48] The extrinsic origin of the magnetodielectric effect in the double perovskite $\text{La}_2\text{NiMnO}_6$, K. Devi Chandrasekhar, **A. K. Das**, C. Mitra and A. Venimadhav, *J. Phys.: Condens. Matter* **24** (2012) 495901.
- [47] Spin glass behaviour and extrinsic origin of magnetodielectric effect in non-multiferroic $\text{La}_2\text{NiMnO}_6$ nanoparticles, K. Devi Chandrasekhar, **A. K. Das** and A. Venimadhav, *J. Phys.: Condens. Matter* **24**, (2012) 376003.

- [46] Correlation between the mechanical and magneto-transport properties of cobalt film on semiconducting substrate, A. Sarkar, R. Adhikari and **A. K. Das**, **Physica B** **407**, (2012), 4148.
- [45] Magnetic Schottky diode exploiting spin polarized transport in Co/p-Si heterostructure, A. Sarkar, R. Adhikari and **A. K. Das**, **Appl. Phys. Lett.** **100**, (2012) 262402.
- [44] Variation and sign change of magnetostrictive strain as a function of Ni concentration in Ni-substituted ZnFe_2O_4 sintered nanoparticles, R. Adhikari, A. Sarkar, Mukta V. Limaye, S. K. Kulkarni, and **A. K. Das**, **J. Appl. Phys.** **111**, (2012) 073903.
- [43] Nanopatterning of Si(001) for bottom-up fabrication of nanostructures, Yanfang Hu, Hedieh Hosseinzadeh Kalachahi, **Amal K Das** and Reinhold Koch, **Nanotechnology** **23**, (2012) 165301.
- [42] A versatile cantilever beam magnetometer for *ex situ* characterization of magnetic materials, R. Adhikari, A. Sarkar, and **A. K. Das**, **Review of Scientific Instruments** **83**, (2012) 013930.
- [41] The cantilever beam magnetometer: A simple teaching tool for magnetic characterization, Rajdeep Adhikari, Rakesh Kaundal, Anirban Sarkar, Pushpinder Rana, and **Amal K. Das**, **American Journal of Physics** **80** (3), (2012) 225.
- [40] Magnetic Properties of $\text{La}_2\text{NiMnO}_6$ Nanoparticles, K. Devi Chandrasekhara, **A. K. Das**, and A. Venimadhav, Solid State Physics, Proceedings of the 56th DAE Solid State Physics Symposium 2011, **AIP Conf. Proc.** **1447**, (2012) 1237; doi: 10.1063/1.4710459.
- [39] Studies on Nonlinear Electrical Transport and Magnetoresistance in Co/CoO Core-Shell Nanostructure, A. Sarkar, N. Behera, R. Adhikari and **A. K. Das**, **AIP Conf. Proc.** **1447**, (2012) 937; doi: 10.1063/1.4710311.
- [38] Synthesis and Magnetic Properties of $\text{La}_2\text{NiMnO}_6$ Nanoparticles, K. Devi Chandrasekhar, **A. K. Das** and A. Venimadhav, **AIP Conf. Proc.** **1347**, (2011) 23; doi: 10.1063/1.3601778.
- [37] Magnetic diode exploiting giant positive magnetoresistance in ferrite/semiconductor heterostructures, R. Adhikari, A. Sarkar, G. R. Patta and **A. K. Das**, **Appl. Phys. Lett.** **98**, (2011) 183504.
- [36] Large magnetodielectric response in $\text{Pr}_{0.6}\text{Ca}_{0.4}\text{MnO}_3$ /polyvinylidene fluoride nanocomposites, K. Devi Chandrasekhar, **A. K. Das**, and A. Venimadhav, **Appl. Phys. Lett.** **98**, (2011) 122908.
- [35] Mechanical and Electrical Characterization of Co Film on p-Si (100) Substrate, A. Sarkar, R. Adhikari and **A. K. Das**, **AIP Conf. Proc.** **1349**, (2011) 957; doi:10.1063/1.3606176.
- [34] Electronic structure and Magnetic Properties of (Fe,Co) codoped ZnO: Theory and Experiment, Debjani Karmakar, T. V. C. Rao, J. V. Yakhmi, A. Yaresko, V. N. Antonov, R. M. Kadam, S. K. Mandal, R. Adhikari, **A. K. Das**, T. K. Nath, N. Ganguli, I. Dasgupta, and G. P. Das, **Phys. Rev. B.** **81**, (2010) 184421.
- [33] Structure and magnetic properties of Gd doped SnO_2 nanoparticles, R. Adhikari, **A. K. Das**, D. Karmakar and J. Ghatak, **J. Magn. Magn. Mater** **322**, (2010) 3631.
- [32] Structure and magnetic field dependent transport properties of p- $\text{Ge}_{1-x}\text{Mn}_x$ /n-Ge heterojunction, S. Majumdar, **A. K. Das** and S. K. Ray, **Int. J. Mod. Phys. B**, **23** (2009) 3579.

- [31] Dielectric Properties of Percolative $\text{Pr}_{1-x}\text{Ca}_x\text{MnO}_3$ /Polyvinylidene fluoride nanocomposites under various processing conditions, K. Devi Chandrasekhar, A. Venimadhav, and **A. K. Das**, **AIP Conf. Proc.** **1276**, (2010) **238**.
- [30] High dielectric permittivity in semiconducting $\text{Pr}_{0.6}\text{Ca}_{0.4}\text{MnO}_3$ filled polyvinylidene fluoride nanocomposites with low percolation threshold, K. Devi Chandrasekhar, A. Venimadhav and **A. K. Das**, **Appl. Phys. Lett.** **95**, (2009) **062904**.
- [29] Magnetic semiconducting diode of $\text{p-Ge}_{1-x}\text{Mn}_x/\text{n-Ge}$ layers on silicon substrate, S. Majumdar, **A. K. Das** and S. K. Ray, **Appl. Phys. Lett.** **94**, (2009) **122505**.
- [28] Synthesis and temperature dependent photoluminescence properties of Mn doped Ge nanowires, S. Majumdar, S. Mandal, **A. K. Das** and S. K. Ray, **J. Appl. Phys.** **105**, (2009) **024302**.
- [27] Microstructure and magnetic properties of melt-spun $\text{Cu}_{0.95}\text{Co}_{0.05}$ granular alloy, S. Majumdar, R. K. Singha, J. Yoon, M. H. Jung, M. Chakraborty, **A. K. Das** and S. K. Ray, **Physica B** **404**, (2009) **1858**.
- [26] Structure and magnetism of Fe doped SnO_2 nanoparticles, R. Adhikari, **A. K. Das**, D. Karmakar, T. V. Chandrasekhar Rao and J. Ghatak, **Phys. Rev. B** **78**, (2008) **024404**.
- [25] Temperature-dependent texture, stress and resistivity in melt spun $\text{Cu}_{0.95}\text{Co}_{0.05}$ ribbon, S. Majumdar, R. K. Singha, K. Das, M. Chakraborty, **A. K. Das** and S. K. Ray, **Physica B** **403**, (2008) **2059**.
- [24] Ferromagnetism in Fe doped ZnO : Experiment and Theory, D. Karmakar, S. K. Mandal, R. M. Kadam, P. L. Paulose, A. K. Rajarajan, T. K. Nath, **A. K. Das**, I. Dasgupta and G. P. Das, **Phys. Rev. B** **75**, (2007) **144404**.
- [23] Microstructural, magnetic and optical properties of $\text{Zn}_{1-x}(\text{Mn}_{x/2}\text{Co}_{x/2})\text{O}$ ($x = 0.1$ and 0.2) semiconducting nanoparticles, S. K. Mandal, T. K. Nath, **A. K. Das** and Debjani Karmakar, **J. Appl. Phys.** **101**, (2007) **063913**.
- [22] Microstructural and magnetic properties of ZnO : TM (TM=Co, Mn) diluted magnetic semiconducting nanoparticles, S. K. Mandal, **A. K. Das**, T. K. Nath, Debjani Karmakar and B. Satpati, **J. Appl. Phys.** **100**, (2006) **104315**.
- [21] Temperature dependence of solubility limits of transition metals (Co, Mn, Fe, and Ni) in ZnO nanoparticles, S. K. Mandal, **A. K. Das**, T. K. Nath, and Debjani Karmakar, **Appl. Phys. Lett.** **89**, (2006) **144105**.
- [20] Reply to Comment on “On the compressive stress in polycrystalline Volmer-Weber films”, R. Koch, Dongzhi Hu, **A. K. Das**, **Phys. Rev. Lett.** **95**, (2005) **229602**.
- [19] From ferro- to antiferromagnetism via exchange-striction of MnAs/GaAs(001), H. Yamaguchi, **A. K. Das**, A. Ney, T. Hesjedal, C. Pampuch, D. M. Schaadt and R. Koch, **Euro Phys. Lett.** **72**, (2005) **479**.
- [18] On the compressive stress in polycrystalline Volmer-Weber films, R. Koch, Dongzhi Hu and **A. K. Das**, **Phys. Rev. Lett.** **94**, (2005) **146101**.
- [17] Magnetoelastic coupling of MnAs/GaAs(001) close to the phase transition, R. Koch, C. Pampuch, H. Yamaguchi, **A. K. Das**, A. Ney, L. Daeweritz, and K. H. Ploog, **Phys. Rev. B** **70**, (2004) **092406**.
- [16] Perpendicular magnetic fields in cantilever beam magnetometry, R. Koch, **A. K. Das**, H. Yamaguchi, C. Pampuch and A. Ney, **J. Appl. Phys.** **96**, (2004) **2273**.

[15] Evolution of stress and magnetism during the first order phase transition of MnAs/GaAs(001), A. Ney, **A. K. Das**, C. Pampuch, T. Hesjedal, M. Kaestner, L. Daeweritz, R. Koch, and K. H. Ploog, **J. Magn. Magn. Mat.** **272-276**, (2004) 1924.

[14] Nature of the magnetic and structural phase transition in MnAs/GaAs(001), A. Ney, T. Hesjedal, C. Pampuch, **A. K. Das**, L. Daeweritz, R. Koch, K. H. Ploog, T. Tolinski, J. Lindner, K. Lenz, K. Baberschke, **Phys. Rev. B** **69**, (2004) 081306.

[13] Ferromagnetism of MnAs studied by heteroepitaxial films on GaAs(001), **A. K. Das**, C. Pampuch, A. Ney, T. Hesjedal, L. Daeweritz, R. Koch, and K. H. Ploog, **Phys. Rev. Lett.** **91**, (2003) 087203.

[12] Magnetologic with α -MnAs/GaAs(001), C. Pampuch, **A. K. Das**, A. Ney, L. Daeweritz, R. Koch, and K. H. Ploog, **Phys. Rev. Lett.** **91**, (2003) 147203.

[11] Magnetic out-of-plane component in MnAs/GaAs(001), A. Ney, T. Hesjedal, C. Pampuch, J. Mohanty, **A. K. Das**, L. Daeweritz, R. Koch, and K. H. Ploog, **Appl. Phys. Lett.** **83** (2003) 2850.

**** [10]** Self-assembled growth of nanostructural Ge islands on bromine-passivated Si(111) surfaces at room temperature, **Amal K. Das**, B. N. Dev, B. Sundaravel, E. Z. Luo, J. B. Xu and I. H. Wilson, **Pramana** **59**, (2002) 133.

[9] Response to “Comment on ‘Self-assembled Ge nanostructures on polymer-coated silicon : growth and characterization’”, **Amal K. Das**, J. Kamila, B. N. Dev, B. Sundaravel and G. Kuri, **Appl. Phys. Lett.** **78**, (2001) 3552.

[8] Self-assembled Ge nanostructures on polymer-coated silicon : growth and characterization, **Amal K. Das**, J. Kamila, B. N. Dev, B. Sundaravel and G. Kuri, **Appl. Phys. Lett.** **77** (2000) 951.

[7] Spontaneous nanostructural island formation and layer-to-island mass transport in Ge Layers Si(111) surfaces, **Amal K. Das**, S. K. Ghose, B. N. Dev, G. Kuri and T. R. Yang, **Appl. Surf. Sci.** **165**, (2000) 260 .

[6] Resonance enhancement of X-rays in layered materials: Application to surface enrichment in polymer blends, B. N. Dev, **Amal K. Das**, S. Dev, D. W. Schubert, M. Stamm and G. Materlik, **Phys. Rev.** **B61**, (2000) 8462.

[5] Self-assembled gold silicide wires on bromine-passivated Si(110) surfaces, B. Rout, B. Sundaravel, **Amal K. Das**, S. K. Ghose, K. Sekar, D. P. Mahapatra and B. N. Dev, **J. Vac. Sci. and Tech.** **B18**, (2000) 1847.

[4] Epitaxial growth of Ag on Br-passivated Si(111) under high vacuum, B. Sundaravel, **Amal K. Das**, S. K. Ghose, K. Sekar and B. N. Dev, **Appl. Surf. Sci.** **137**, (1999) 11 .

[3] Radiation damage and surface modification of GaAs(001) by MeV C⁺ and C₂⁺ co-implantation with Ga₂⁺, S. K. Ghose, G. Kuri, **Amal K. Das**, B. Rout, D. P. Mahapatra and B. N. Dev, **Nucl. Instr. and Meth.** **B156**, (1999) 125.

[2] Improvement of Ag(111) epitaxy on Si(111) by MeV Si⁺ irradiation and ion microbeam analysis of thermally induced morphology, B. Sundaravel, **Amal K. Das**, S. K. Ghose, B. Rout and B. N. Dev, **Nucl. Instr. and Meth.** **B156**, (1999) 130.

[1] Lattice strain Measurement of In_{0.1}Ga_{0.9}As/GaAs heterostructures by RBS and Channeling, Azher M. Siddiqui, Anand P. Pathak, B. Sundaravel, **Amal K. Das**, K. Sekar, B. N. Dev and B. M. Arora, **Nucl. Instr. and Meth B142, (1998) 387.**

• **Presentation in seminars / conferences:**

(a) International : 10 (marked with **) and (b) National : 51

[61] The cantilever beam magnetometer: A simple technique for magnetic characterization, Amal Kumar Das, International Conference on Nanotechnology for Better Living (ICNBL-2019), 7 – 11 April, 2019, NIT Srinagar, India.

[60] Synthesis and Characterization of Ternary Intermetallic Fe₂CoAl Inverse Heusler Alloy Nanoparticles, Aquil Ahmad, S. K. Srivastava and **A. K Das, Materials Research Society (MRS) 2017 Fall meeting-November 26-30, Boston, USA.

[59] Magnetic backward diode exploiting crossover spin valve action in manganese substituted magnetite/semiconductor heterojunctions: H. Airedy and **A. K Das, Materials Research Society (MRS) 2017 Spring meeting-April 17-21, Phoenix, Arizona, USA.

[58] Effect of Sr doping on structural and magnetic behavior of SmBa_{1-x}Sr_xCo₂O_{5+δ} (x = 0 and 1), Archana Kumari, C.Dhanasekhar and **A. K. Das, International Conference on Strongly Correlated Electron Systems, SCES 2017, Prague, July 17-21, 2017.

[57] Archana Kumari, C.Dhanasekhar and **A. K. Das**, International School on Fundamental Crystallography and Workshop on Structural Phase Transitions (IUCr), NIT Rourkela 30th Aug- 4th Sept, 2017.

[56] Tuning of structural and magnetic properties of layered SmBaCo₂O_{5.5} cobaltite by doping of Sr at Ba site, Archana Kumari, C. Dhanasekhar and **A. K. Das**, Emerging Trends in Physics of Surfaces, Interfaces and Nanostructures (ET-PSIN) IACS & SN BOSE Kolkata 24- 25th NOV, 2017.

[55] Influence of nonmagnetic impurity doping (Zn²⁺) on multiferroic property of CaBaCo₄O₇, C.Dhanasekhar, **A. K Das and A. Venimadhav, International Conference on Strongly Correlated Electron Systems, SCES 2017, Prague, July 17-21, 2017.

[54] C.Dhanasekhar, **A. K Das** and A. Venimadhav, International School on Fundamental Crystallography and Workshop on Structural Phase Transitions (IUCr), NIT Rourkela 30th Aug- 4th Sept 2017.

[53] Multiferroic Properties of Swedenborgite CaBaCo_{4-x}B_xO₇ (B=Ni and Zn & x = 0.10). C. Dhanasekhar, **A. K. Das** and A. Venimadhav, Emerging Trends in Physics of Surfaces, Interfaces and Nanostructures (ET-PSIN) IACS & SN BOSE Kolkata 24- 25th NOV, 2017.

[52] Electronic, Magnetic and Structural properties of Co₂FeGe Heusler alloy : Theory and Experiment, S. Mitra, A. Ahmed, and A. K. Das, International conference on magnetic materials and applications (ICMAGMA-2017), DMRL, Hyderabad, India, 1-3 February (2017).

[51] Magnetic Phase Diagram and Magnetocaloric Study of Phase Separated 112 Cobaltite (EuBaCo₂O_{5.5}), Archana Kumari, C. Dhana Sekhar and **A. K. Das**, International conference on magnetic materials and applications (ICMAGMA-2017), DMRL, Hyderabad, India, 1-3 February (2017).

- [50] Size-Dependent Magnetic Properties of Ternary Intermetallic Co_2FeAl Heusler Alloy Nanoparticles, A. Ahmed, S. Mitra, S. K. Srivastava, and **A. K. Das**, International conference on magnetic materials and applications (ICMAGMA-2017), DMRL, Hyderabad, India, 1-3 February (2017).
- [49] Backward rectifier exploiting tunable junction magnetoresistance in $\text{Fe}_{3-x}\text{Mn}_x\text{O}_4/\text{p-Si}$ heterostructures, H. Aireddy and **A.K. Das**, International conference on functional materials (ICFM), Kharagpur, India, 12-14 December (2016).
- [48] Synthesis and Characterization of Ternary Intermetallic Co_2FeAl Heusler Alloy Nanoparticles, A. Ahmed, S. Mitra, S. K. Srivastava, and **A. K. Das**, International Conference of young researchers on advanced materials (IUMRS-ICYRAM 2016), Indian Institute of Science, Bangalore, India, 12-15 December, (2016).
- **[47] Giant Junction magnetoresistance in ferromagnet/Semiconductor heterostructures, Amal Kumar Das, Conference on Electronic Materials (IUMRS-ICEM 2016), Suntec, Singapore, 4-8 July (2016).**
- [46] Giant Junction magnetoresistance in ferromagnet/Semiconductor heterostructures, **Amal Kumar Das**, International Conference on Material Science and Technology (ICMST-2016), St. Thomas College, Pala, Kerala, India, 5 – 8 June (2016).
- [45] Low- field magnetoelectric effect in Fe doped $\text{Co}_4\text{Nb}_2\text{O}_9$, C. DhanaSekhar, **A. K Das** and A. Venimadhav, Emerging Trends In Advanced Functional Materials-2016, Institute of Physics (IOP), Bhubaneswar, 18-21 January (2016).
- [44] The Cantilever Beam Magnetometer: A Versatile Technique for magnetic characterization, **Amal K. Das**, CMDAYS-2015, Visva Bharati, Santiniketan, West Bengal, India, 27-29 August (2015).
- [43] Disorder Induced Spin-glass Behaviour of Co_2FeGe Heusler Alloy, Srimanta Mitra, Aquil Ahmad and **Amal Kumar Das**, International Conference on Magnetic Materials and Applications (**ICMAGMA-2015**), VIT University, Vellore, Chennai, India, 2-4 December (2015).
- [42] Magnetic and Dielectric Properties of Co and Mn doped Fe_2WO_6 , Archana Kumari, C DhanaSekhar, **A. K. Das**, CMDAYS-2015, Visva Bharati, Santiniketan, West Bengal, 27-29 August (2015).
- [40] Structural, Magnetic And Thermal Study Of Cr-Doped Iron-Tungsten-Oxygen System (Fe_2WO_6), Archana Kumari, C DhanaSekhar, **A K. Das**, Sixty-th DAE- Solid state Physics Symposium, Amity University, UP, India, 21-25 December (2015).
- [40] Electro-magnetic transport and rectifying property of $\text{Fe}_{2.5}\text{Mn}_{0.5}\text{O}_4/\text{p-Si}$ heterojunction, H. Aireddy and **A.K. Das**, International Conference on Condensed Matter and Applied Physics, Bikaner, Rajstan, India, 30-31 October (2015).
- [39] Room temperature negative junction magnetoresistance in $\text{Fe}_{2.5}\text{Zn}_{0.5}\text{O}_4/\text{p-Si}$ heterostructure:, H. Aireddy and **A.K. Das**, 5th national conference on processing and characterizations of materials (NCPCM-2015), National Institute of Technology (NIT), Rourkela, India, 12-13 December (2015).
- [38] Switching of ground state from pyroelectric-ferrimagnetic to ferroelectric –antiferromagnetic state in Ni doped $\text{CaBaCo}_4\text{O}_7$, C. DhanaSekhar, **A. K Das**, S.K. Mishra, R. Rawat, and A. Venimadhav, Frontiers in Advanced materials (FAM – 2015), IISc Bangalore, India, 15-18 June (2015).

- [37] Multiple Caloric Effects in Geometrically Frustrated “114”CaBaCo₄O₇ Cobaltite, C. DhanaSekhar, **A. K. Das** and A. Venimadhav, International Conference on Magnetic Materials and Applications (ICMAGA-2015), VIT University, Vellore, 2-4 December (2015).
- [36] Influence of magnetic impurity (Mn³⁺) on multiferroic property of CaBaCo₄O₇, C.DhanaSekhar, **A. K. Das** and A. Venimadhav, Sixty-th DAE- Solid state physics Symposium, Amity University, UP, India, 21-25 December (2015).
- [35] Magnetostrictive strain in Ni substituted ZnFe₂O₄ Nanoparticles, R. Adhikari, A. Sarkar and **A. K. Das**, The international conference on magnetic materials and applications (ICMAGMA-2014), Pondicherry University, Pondicherry, India, 15-17 September (2014)..
- [34] Interface Effect on Magnetoresistance of Ferromagnet/Semiconductor Heterostructures, **Amal K. Das**, Int. Conf. on Physics of surfaces and interfaces (PSI2014), Puri, Odisha, 24-28th February (2014).
- [33] Electromagnetic transport properties of ferrite/semiconductor heterostructure, H. Aireddy, R. J. Choudhary and **A. K. Das**, Int. Conf. on Physics of surfaces and interfaces (PSI2014), Puri, Odisha, 24-28th February (2014).
- [32] Defect mediated photoluminescence spectra from ZnO-ZnS core-shell nanorods controlled by Co doping, S. Bhaumik, A. K. Sinha, S. K. Ray, and **A. K. Das**, Int. Conf. on Physics of surfaces and interfaces (PSI2014), Puri, Odisha, 24-28th February (2014).
- [31] Defect mediated ferromagnetism in undoped SnO₂ nanowire, S. Bhaumik, A. K. Sinha, S. K. Ray and **A. K. Das**, 6th India Singapore Joint Physics Symposium (ISJPS - 2013) on Physics and Advanced Materials, IIT Kharagpur, India, 25-27 February, (2013).
- [30] Characteristics study of undoped and Mn doped SnO₂ nanowires, S. Bhaumik, **A. K. Das** and S. K. Ray, International Conference on Theoretical and Applied Physics, IIT Kharagpur, India, 1-2 December, (2011).
- [29] Structural and Magnetic studies on Mn doped Ge nanowires, S. Bhaumik, **A. K. Das** and S. K. Ray, International Symposium on Advances in Nanomaterials, CGCRI, Kolkata, India, 6-7 December, (2010).
- [28] Novel semiconductor-polymer composites for high dielectric permittivity and low dielectric loss, K. Devi Chandrasekhar, **A. K. Das**, and A. Venimadhav, International Conference on Advanced Nanomaterials and Nanotechnology, **IIT-Guwahati**, Assam, Abstract No. D-176 in Proceedings, 9-12 December, (2009).
- [27] Structural and Magnetic Properties of Zn_{1-x}Ni_xFe₂O₄ nanoparticles, R. Adhikari, P. Chauhan, and **A. K. Das**, 54th DAE Solid State Physics Symposium, University of Baroda, Vadodara, Publisher :Manohar Chandnani, **Mumbai**, Vol. 54, page 1089, 14-18 December, (2009).
- [26] Development of in-situ Cantilever Beam Magnetometer for measurement of intrinsic stress in thin films, A. Sarkar and **A. K. Das**, 54th DAE Solid State Physics Symposium, University of Baroda, Vadodara, Publisher :Manohar Chandnani, **Mumbai**, Vol. 54, page 461 14-18 December, (2009).
- [25] Micro Structure and Magnetic Characterization of Sn doped alpha-Fe₂O₃ Nanoparticles, R. Adhikari, T. V. Chandrasekhar Rao, and **A. K. Das**, 54th DAE Solid State Physics Symposium, University of Baroda, Vadodara, Publisher :Manohar Chandnani, **Mumbai**, Vol. 54, page 415, 14-18 December, (2009).
- [24] Atomic Clusters and Compound Precipitates in Mn doped Ge Nanowires, S. Majumdar, **A. K. Das**, and S. K. Ray, 54th DAE Solid State Physics Symposium, University of Baroda, Vadodara, Publisher :Manohar Chandnani, **Mumbai**, Vol. 54, page 287, 14-18 December, (2009).

- ** [23]** Structural and magnetic field dependent transport properties of Mn_xGe_{1-x} dilute magnetic semiconductor thin films grown by laser ablation technique, S. Majumdar, **A. K. Das** and S.K. Ray, IUMRS-ICEM **2008**, Hilton, **Sydney, Australia**. Symposium R, Page 96.
- [22] Microstructure and electrical properties of Cu-Co magnetic granular ribbon: S. Majumdar, R. K. Singha, V. S. Reddy, K. Das, A. Dhar, M. Chakraborty, **A. K. Das** and S. K. Ray, International Conference on Recent Trends in Nanoscience & Technology **ICRTNT (2006)**, **Jadavpur University**. Page 159.
- [21] Field dependent transport property of magnetic semiconducting p- $Ge_{1-x}Mn_x$ /n-Ge diode: S. Majumdar, **A. K. Das** and S. K. Ray, Homi Bhabha Centenary DAE-BRNS National Conference on Spintronics and Magnetoelectronics Materials and Devices, **Puri, (2009)** Page 45.
- [20] Temperature dependent optical and magnetic properties of Mn doped Ge nanowires, S. Majumdar, **A. K. Das** and S. K. Ray, Magnetic nanomaterials and their applications (**MNTA 2009**), S. N Bose center for basic Sciences, **Kolkata**, Page 28.
- [19] Micro structural and Magnetic Characterization of Fe doped SnO_2 nanoparticles, R. Adhikari, D. Karmakar, J. Ghatak, P. V. Satyam, G. P. Das, and **A. K. Das**, 52nd DAE Solid State Physics Symposium, **Tamilnadu, India**, December 26-30, (**2007**).
- [18] In-situ characterization of thin films by cantilever beam magnetometer, **A. K. Das**, International Conference on Advanced Materials Design & Development (ICAMDD), **Goa, India**, December 14-16, (**2005**).
- [17] Microstructural, Magnetic and Optical properties of Mn and Co doped ZnO DMS nanoparticles, S. K. Mandal, **A. K. Das** and T. K. Nath, International Conference on Advanced Materials Design & Development (ICAMDD), **Goa, India**, December 14-16, (**2005**).
- [16] Reversal of Magnetization of ferromagnetic thin film by cantilever beam magnetometer, **A. K. Das** and R. Koch, International Conference on MEMS and Semiconductor Nanotechnology (MemsNano), **IIT Kharagpur, India**, December 20-22, (**2005**).
- [15] Real time stress measurement by cantilever beam technique during thin film growth, **A. K. Das**, D. Hu and R. Koch 49th DAE Solid State Physics Symposium, **Amritsar, India**, December 26-30, (**2004**).
- [14] Synthesis, Structural and Spectroscopy of $Zn_{1-x}FM_xO$ (M = Co, Fe) nanocrystals prepared by chemical method, S. K. Mandal, **A. K. Das** and T. K. Nath, 49th DAE Solid State Physics Symposium, **Amritsar, India**, December 26-30, (**2004**).
- ** [13]** Interface-induced magnetic switching behavior in MnAs/GaAs heterostructures for magnetic logic, R. Koch, C. Pampuch, A. Ney, **A. K. Das**, L. Daeweritz, K. H. Ploog, 31st Conf on the Physics and Chemistry of Semiconductor Interfaces, Kailua-Kona, **Hawaii, USA**, January 18-22, (**2004**).
- ** [12]** Magnetoelastic coupling of MnAs/GaAs(001), **A. K. Das**, C. Pampuch, A. Ney, H. Yamaguchi, M. Kaestner, L. Daeweritz, R. Koch, and K. H. Ploog, International Conference on Magnetism, 2003 (ICM-2003), **Rome, Italy**, July 27 – August 1, (**2003**).
- ** [11]** Evolution of stress and magnetism during the first order phase transition of MnAs/GaAs(001), A. Ney, **A. K. Das**, C. Pampuch, T. Hesjedal, M. Kaestner, L. Daeweritz, R. Koch, and K. H. Ploog, International Conference on Magnetism-2003 (ICM-2003), **Rome, Italy**, July 27 – August 1, (**2003**).

**** [10]** Magnetic properties of MnAs/GaAs(001) at the ferro-/paramagnetic phase transition, A. K. Das, C. Pampuch, A. Ney, R. Koch, M. Kaestner, L. Daeweritz, and K. H. Ploog, 2003 MRS (Materials Research Society) Spring Meeting, **San Francisco, USA**, April 21-25, **(2003)**.

[9] Determination of the surface diffusion activation energy by X-ray reflectometry, **Amal K. Das**, S. K. Ghose, D. K. Goswami and B. N. Dev, 43rd DAE Solid State Physics Symposium, **Bilaspur, India**, December 27-31, **(2000)**.

[8] Growth of self-assembled nanostructures on surfaces, **Amal K. Das**, S. K. Ghose, J. Kamila, B. Rout and B. N. Dev, 43rd DAE Solid State Physics Symposium, **Bilaspur, India**, December 27-31, **(2000)**.

[7] Resonance enhancement of X-rays in layered materials: Application to surface enrichment in polymer blends, B. N. Dev, **Amal K. Das**, S. Dev, D. W. Schubert, M. Stamm and G. Materlik, 43rd DAE Solid State Physics Symposium, **Bilaspur, India**, December 27-31, **(2000)**.

[6] Roughness of HF-stripped bromine-methanol treated Si(111) surfaces and interface roughness in subsequent overlayer growth : An X-ray reflectivity study, **Amal K. Das**, S. K. Ghose and B. N. Dev, Condensed Matter days, **Bilaspur, India**, August 29-31, **(2000)**.

[5] Surface and interface roughness of Si(111) substrates with chemisorbed bromine before and after deposition of thin films, **Amal K. Das**, S. K. Ghose and B. N. Dev, 41st DAE Solid State Physics Symposium, **Kurukshetra, India**, December 27-31, **(1998)**.

[4] Epitaxial growth of silver on Br-passivated Si(111) under high vacuum condition, B. Sundaravel, **Amal K. Das**, S. K. Ghose, K. Sekar and B. N. Dev, 40th DAE Solid State Physics Symposium, **Cochin, India**, December 27-31, **(1997)**.

[3] Formation and annealing of damage in Si(100) induced by MeV self-ion implantation at different tilt angles, B. Sundaravel, **Amal K. Das**, K. Sekar and B. N. Dev, 40th DAE Solid State Physics Symposium, **Cochin, India**, December 27-31, **(1997)**.

[2] Fractal holes from Ag desorption in epitaxial Ag layer, B. Sundaravel, **Amal K. Das**, K. Sekar and B. N. Dev, 40th DAE Solid State Physics Symposium, **Cochin, India**, December 27-31, **(1997)**.

[1] Ion scattering studies on Ag/Br-Si(111) system, B. Sundaravel, **Amal K. Das**, S. K. Ghose, B. Rout, G. Kuri, P. V. Satyam, K. Sekar, D. P. Mahapatra and B. N. Dev, 39th DAE Solid State Physics Symposium, **Mumbai, India**, December 27-31, **(1996)**.

• Patent / Copyright obtained / filed

[1] “Magnetische Logikeinrichtung und Verfahren zu deren Betrieb” (Magnetic logic mechanism and procedure for their applications), C. Pampuch, **A. K. Das**, A. Ney and R. Koch, Deutsche Patentanmeldung Nr. 103 11 717.2, March 17, (2003).

Description : By sensitive cantilever beam magnetometry we discovered that α -MnAs films on GaAs(001) exhibit an additional small out-of-plane component of the magnetization which is magnetically coupled with the dominant in-plane magnetization. We demonstrate that the switching of the in-plane magnetization (output) can be controlled by the two magnetic fields as independent inputs, thus the α -MnAs layer can be utilized as logic gate with non-volatile output. The logic functionality of the layer can be preselected to be AND or OR at run-time, thus offering the perspective for programmable magneto-logic devices.

(Reference: Phys. Rev. Lett. 91, (2003) 147203).